

STONDER
FOR PROFESSIONALS

AUTOMOTIVE



PUTTYS

CLEARCOATS

ABRASIVES

CARE AND PROTECTION


FILLERS

MASKING

PAINTS

SUPPLEMENTS

Rags



“RAGS” Ltd has been engaged in the import, export and delivery of paint systems and car body repair materials to the end user for more than 25 years. During these years, the company has grown and developed into one of the leading suppliers of car repair materials in the Baltic States and also in Europe.

Aware of what it will mean for our small Latvia to join the European Union, and realizing that there will be a huge and growing demand for private product line materials, in 2003 “RAGS” Ltd started to offer its customers a range of products called “STONDER”, developed by our company and an internationally registered and certified trademark. STONDER product range includes the best and most demanded car repair materials, which have been tested in laboratories and have been found by our technicians to be fully suitable for use in the climatic conditions of our region.

“STONDER” is offered in 2 quality levels:

STONDER - a wide range of car repair materials at a good price
STONDER Professional - high quality products that provide results that meet the requirements of experts.

The wide range of STONDER products is manufactured in well-known Western European factories in Germany, the Netherlands, Poland, Italy, Great Britain, Romania, Belgium, as well as in Asia and even South Africa.

STONDER range is supplemented from time to time with new products, listening to the wishes and needs of our customers, but at the same time, performing grounded market research and analysis, which gives us confidence in the need to introduce such products.

STONDER and STONDER Professional materials are suitable for both professional and individual car repair.

STONDER brand with consistently stable quality and good price has gained a strong position in the Baltic and European markets, providing our partners with opportunities to increase profits, and for us - to increase sales both in Europe and worldwide.

Success is based on value-oriented cooperation, special attention to our customers, professional staff, continuous innovation and excellent quality. We work for you to succeed!





TABLE OF CONTENT

Puttys	1-2
Fillers	3-4
Paints	5-6
Clearcoats and hardeners	7-8
Cleaning, care and protection	9-18
Abrasives	19-22
Masking and tapes	23-25
Sanding	26
Polishing	27-29
Supplements	30-36



PUTTYS



Universal putty

Basic putty in our range. Relatively hard and not very flexible, it is recommended mainly for machine sanding and repairing of small surfaces. It has good adhesion to various substrates, i.e. carbon steel or aluminium except galvanized steel.

Package	Article
200g	76112
500g	76115
1kg	76101
1.8kg	76111
4.5kg	76104



Fiberglass putty

Fiberglass fibre reinforced putty. Thanks to a large quantity of long fibres the product has a very high mechanical strength and good filling properties. Its low flexibility and hard sanding limits its application to small surfaces.

Package	Article
200g	76102
500g	76105



PROFY fiberglass putty

PROFY fibre reinforced putty. Thanks to flexible polyester resins and short fibres it has higher elasticity than fiberglass putty, maintaining high mechanical strength. Soft and easy sanding make it suitable for application even on large surfaces. It has good adhesion to various substrates, including galvanized steel.

Package	Article
1.8kg	77121



PROFY universal putty

Universal putty suitable for a very wide range of use. It produces a soft surface, suitable both for manual and machine sanding. It is easy to work even when applied on large surfaces. Its good adhesion to various substrates and high elasticity guarantee high quality of repair.

Package	Article
2kg	77111



Fiberglass putty

Fiberglass fibre reinforced putty. Thanks to a large quantity of long fibres the product has a very high mechanical strength and good filling properties. Its low flexibility and hard sanding limits its application to small surfaces.

Package	Article
1.7kg	76121

Easy putty

Lightweight multifunction putty. It contains modern fillers, which give fine product and very low density. This has resulted in easy application, great sanding characteristics and low curing shrinkage. Together with good adhesion, these characteristics make the putty suitable for application on small and large surfaces. Due to low density we recommended using larger quantity of hardener than in conventional putties. Amount of hardener is from 3 to 4%.



Package	Article
1l	76152

Light putty

A polyester filling putty, which by the use of lightweight fillers has a much lower density compared with a standard filling putty. It is characterized by good adhesion, and its low shrinkage during curing enables using it on large areas. Due to a higher resin content, it is recommended to use more hardener than in conventional putties. Amount of hardener is from 3 to 4%.



Package	Article
1l	09113

Plastic putty

The product is dedicated to the repair of parts made of plastics, including car bumpers. It has very good flexibility and excellent adhesion to surfaces, with the exception of those of Teflon and polyethylene. Its dark colour is intended to match the colour of majority of plastic parts used in cars. Ideal for manual and mechanical grinding. Before application we recommend to apply a primer for use on plastics.



Package	Article
1kg	09115
500g	098-09115

Spray putty

A two-component polyester putty recommended for filling cracks after processing the previously applied fillers. The product has a very high adhesion to any type of surface. With its very good thixotropy, the product does not "flow" even when applied to vertical surfaces. It is intended for application with a spray gun and is suitable for mechanical and manual processing with fine-grained abrasives.



Package	Article
1.2kg	09110

Spray putty beige

Fast drying spray putty with excellent filling properties and coverage to fill small irregularities in surfaces, of wood, metal and aluminium.



Package	Article
400ml	80113

FILLERS



HS filler 4:1 primer

VOC-compliant, solvent-borne 2 pack acrylic sanding filler for automotive refinishing.
Colors: black, white, light grey and dark grey.
Good filling properties and easy sandable.
To be used as filler and high build filler.

Package	Color	Article
3.5l	Black	80828
3.5l	White	80837
3.5l	Dark grey	80826
3.5l	Light grey	80827



HS filler hardener

Special hardener for Stonder HS Filler 4:1. Mixing ratio see technical data sheet.
Available versions are fast and extra fast.

Package	Type	Article
1l	Fast	80829
1l	Extra fast	80830



PROFY filler 5:1 set

Application in car refinish. Fills scratches and other irregularities in surface prepared to varnish. It has good anti-corrosion properties. PROFY filler is the last coat before the base coat / top coat. Due to the very good grinding of fillers and pigments, and the perfect leveling.

Package	Color	Article
0.8l + 016l	Black	80805
0.8l + 016l	White	80806
0.8l + 016l	Grey	80807



PROFILINE PLUS plastic primer

A single component colorless primer. In Car Refinish it is used as a primer layer and creates a micro coating for good adhesion of plastic topcoat. This primer is applied by spraying on a previously degreased surface or by applying it with brush. It is applied with one or two-layers.

Package	Article
0.5l	80151
1l	80120



2K epoxy primer set

2-components anti-corrosion epoxy primer for professional applying.
Application: As a protective layer of steel surfaces, the highest quality corrosion protection.
Other uses: Because of the very good adhesion to steel, zinc, aluminum, laminates, old coatings, concrete ... it can be an adhesive layer between a given substrate and the next coat of paint, with very high resistance to chemicals and atmospheres, is an insulating barrier for a given substrate

Package	Article
0.5l + 0.25l	80824
1l + 0.5l	80825

1K epoxy primer

Adhesive anti corrosion primer, based on epoxy-ester. Builds up film thickness for extreme corrosion resistance. Suitable on MDF, particleboard, (primed) hard plastics and old paint/coating layers.

Fast drying hard and flexible primer with high filling properties:

- Excellent adhesion
- Easy sand ability
- Anticorrosion properties to the use of zinc phosphate
- Can be applied straight on bare metals
- Petrol resistant
- Can be over painted with most modern paints.

Package	Color	Article
500ml	Black	80886

PROFILINE 1K high-build primer

1K High-Build Filler is a 1K acrylic filler with best possible filling and covering Package. High layer thickness in one pass already. Bonds very well to steel, aluminium, polyester filler and on many plastics.

Application: Ideal for spot repairs and refinishing parts.

Package	Color	Article
400ml	Black	80154

Plastic primer

Polyolefin resin based, fast drying, colorless plastic primer for plastic surfaces. Primer is not suitable for polypropylene and for polyethylene. Plastic primer can be painted over with most commonly used lacquer systems.

Package	Color	Article
500ml	Transparent	80139

Primer filler

The ideal primer for use as filler and as an adhesion promoter between surface and final coat. Coatable with air drying acrylic, synthetic and nitro combi lacquers. For metal, wood, ceramics, stone, carton and others. Colour grey for all blue, green, golden and silver top coats.

Quality and properties: • High-grade nitro combi quality • Especially high filling power • Very good flow, smooth surface • Quick-drying • Protects from corrosion • Promotes best adhesion of the top coat on the subsoil • Optimizes the gloss of the top coat • Grants the economical application of the top coat • Especially user-friendly due to durable quality, which is easy to apply and easy to sand and re-coat • For indoor and outdoor applications • Tamper-proof cap avoids unauthorized use

Package	Color	Article
600ml	Grey	80108

PROFILINE Primer filler

Based on acrylic resins and zinc-phosphate for correcting superficial defects in surfaces such as coarse sanding grooves and small stone chip damage. This superior filling coating layer is easy to sand and adheres excellently to metal surfaces. Primer filler can be painted over with most modern paints and is available in various colors.

Package	Color	Ral	Article
500ml	Black	9011	80141
500ml	White	9003	80142
500ml	Light grey	7001	80117
500ml	Grey	7011	80118



PAINTS



2K akrylic paint 1L

2-component acrylic paint is a very high gloss and durable automotive paint, avoiding the need for topcoat lacquer. This hard wearing versatile material is stone chip and petrol resistant once fully cured, and not effected by UV rays. The drying time can be determined by the type of hardener used. We recomend and supply STONDER PLUS universal hardener.

Color code	Article	Color code	Article
DB147	G147	LADA 671	G671
FORD B3	GB3	LADA 5835	G5835
OPEL 474	G474	RAL3000	G3000
VW L90E	GL90E	RAL 6005	G6005
VW LY3D	GLY3D	RAL 7021	G7021
LADA 121	G121	RAL 7024	G7024
LADA 400	G400	RAL 9005	GMMAT
LADA 425	G425	RAL 9010	G9010
LADA 456	G456	RAL 9016	G9016
LADA 601	G601	And others	



1K wheel paint

Fast drying silver paint. Specialty suitable for repair rims and hubcaps. Wheel paint has good coverage, excellent adhesion and good surface hardness.

Package	Color	Article
1l	Silver	80812



Bumper stucture paint

1-component structural enamel for modified polypropylene surface. Structure paint is a decorative enamel for indoor and outdoor applications. Applied to the substrate prepared by a decorative coating with effect fine structure. Basic use is the renovation of the plastic components in vehicles, for example: bumpers, moldings, mirror housings, etc.

Package	Color	Ral	Article
0.4l	Grey	7021	EST-7021



Bumper structure paint

Stonder Bumper Paint is a 1K textured coating to repair bumpers, trim strips, exterior mirrors and etc. Paint commonly used in painting process of plastic substrates in the automotive industry.

Package	Color	Article
1l	Black	80545
1l	Grey	80555

TEHLINE zinc-aluminium paint

Acrylic resin based semi-glossy silver tone coating with good electrochemical corrosion protection on metal by means of the pure zinc and aluminum pigments.

Package	Color	Article
400ml	Silver	80138



Wheel paint

Gives a decorative shine to rims. Durable, high-pigmented protective coating for steel and alloy rims.

Quality and properties:

- High-grade, quick-drying nitro-combi lacquer
- Good flow, smooth surface
- Weather-resistant, light-proof and non-yellowing
- Limited fuel-resistant
- Good colour and gloss retention
- Hard surface, abrasion-resistant
- After 30 min drying overpaint with Rally clear laquer

Package	Color	Article
600ml	Silver	80106



Spray paint

For contrast and partial lacquering, for example rally stripes at the car and many other purposes. Also applicable on rims and car body.

Quality and properties:

- High-grade nitro-combi quality
- Very good coverage
- Excellent adhesion
- Good flow, smooth surface
- Quick-drying
- Suitable for indoors and outdoors applications
- Weather-resistant, light-proof, UV-resistant
- Scratch-, shock- and impact-resistant
- High surface hardness and good elasticity
- Polishable, dirt-resistant surface
- Limited resistance against petrol

Package	Color	Article
600ml	Black matt	80105
600ml	White matt	80110



CLEARCOATS AND HARDENERS



Matt clear set

2-components very fast drying acrylic clear coat. It is used primarily to cover the base coats in car refinish, when required is very fast drying time. Do not recommended applying for overall painting at high ambient temperatures. Can also be used for other purpose, when it is needed a coat with very high resistance to mechanical damage and chemical and atmospheric factors. Type of coat : Deeply Mat.

Package	Color	Article
0.5l + 0.25l	Transparent	80821



Clear spray

Glossy finish for spray paints on acrylic or nitrocombi basis, such as Wheel-, Neon- and other non-metallic car paint sprays. Adds gloss and protection to all rallye paintings. Quality and properties: • High-grade acrylic quality • Excellent adhesion • Good flow, smooth surface • Excellent gloss stability • Hard surface, good elasticity • Quick-drying • Light-proof, UV-proof (non-yellowing) • Resistant to weathering, dirt-repellent • Scratch-, shock- and impact-resistant • After curing resistant to water, diluted acids and bases • Limited fuel-resistant

Package	Color	Article
600ml	Transparent	80107



PLUS 112 clearcoat set

112 clearcoat have excellent flow properties, very good resistance to UV and weather. It is resistant to stones. The varnish does not chip off even with strong impacts. It belongs to fast-drying varnishes and when painting large areas it is recommended to use acrylic thinner. Works with all base coats, including water bases. It comes in a version with standard and fast hardener. It is very easy to use and does not require thinning. Application with the technique of two full layers at intervals of 4-6 minutes.

Package	Type	Article
1l + 0.5l	Standard	8010080904
1l + 0.5l	Fast	8010080905
0.5l + 0.25l	Standard	8010080906



PLUS universal hardener

It is used for hardening acrylic and polyurethane varnishes. It is a suitably selected solution of isocyanate resin and solvents. It is an excellent economic solution for curing color varnishes produced in the MS system.

Package	Type	Article
0.5l	Standard	73405
2.5l	Standard	73425

HS SPEED clearcoat

2K HS acrylic clearcoat with especially fast force drying. Can be polished after only 15 min at 60°C. Easy to apply and universally suited for all applications.

Package	Article
5l	80831



HS SPEED clearcoat hardener

Special hardener for Stonder HS Speed Clearcoat. Standard (Normal). Mixing ratio see technical data sheet.

Package	Article
2.5l	80832



PLUS 111 clearcoat

Acryl clearcoat with Scratch Resistant properties. It is characterised by high content of solid particles, higher flexibility and low tendency for running down. High gloss, UV stability and weather resistance guarantee excellent appearance and durability of the coat. Applied in only one and a half coat, good flow and fast drying PLUS 111 ensures effortless repair and short time in spray booth. PLUS 111 is compatible with all basecoats available in the market. We offer it with normal and fast hardener, the choice is depended on application conditions. It can be applied on water base coats.

Package	Article
1l	80815
5l	80816



PLUS 111 clearcoat hardener

PLUS 111 hardener (component B for PLUS111 clearcoat) also for curing wide range of acrylic products.

Other uses: the product is intended for widespread use in painting, wood, concrete and plastic.

Package	Type	Article
0.5l	Standard	80813
0.5l	Fast	80813F
2.5l	Standard	80814
2.5l	Fast	80814F





Anti-gravel spray

Stone Chip Spray is the ideal stone chip and corrosion protection for car undersides and visible parts. It forms a resistant elastic protective coat against stone chipping. It is also suitable for use as a damping substance in wheel cases and chassis bottoms.

For use on: Cars, caravans, tanks, boats, lorries, spoilers and sills.

Package	Color	Article
500ml	Black	80102
500ml	White	80103
500ml	Grey	80104



100 Anti-gravel

This is agent designed for the protection of car bodies, based on synthetic resins. It forms an elastic, fine-grained coating, which protects thresholds, wheel arches, spoilers and other elements of car body against stone impacts, water, salt and oils. It also has silencing properties. After drying it can be coated with any type of topcoats.

Package	Color	Article
1kg	Black	092-09200
1kg	Grey	092-09201
1kg	White	092-09202
1.8kg	Black	097-09200
1.8kg	Grey	097-09201
1.8kg	White	097-09202



200 Anti-gravel

This is an agent designed for the protection of car bodies, based on rubbers with addition synthetic resins. It forms an elastic, fine-grained coating, which protects thresholds, wheel arches, spoilers and other elements of car body against stone impacts, water, salt and oils. It also has silencing properties. After drying it can be coated with any type of topcoats.

Package	Color	Article
1kg	Black	092-09206
1kg	Grey	092-09207
1kg	White	092-09208

Undercoating bitumen spray

Underbody Protection (Bitumen) forms a delicate elastic, durable seal on the underside of machines, vehicles and wheel cases for all types of vehicles. It protects the undersides from the mechanical and chemical stress of stone chipping, grit, water, rust and the effects of weather. Thixotropic properties mean the spray can be applied in thick layers without running.

Quality and properties:

- Good abrasion resistance
- Excellent corrosion protection
- Excellent adhesion to metal
- Sound absorption
- Long-lasting elasticity
- Waterproof
- No drips on vertical surfaces
- Resistant to weather conditions
- Resistant to weak acids and alkalines
- Cannot be painted over
- Cleaning: fresh material with solvent, dried – mechanically

Package	Color	Article
500ml	Black	80109



PROFILINE UBC bitumen

Bitumen based underbody coatings for a tough, durable, protective bitumen layer that gives excellent corrosion and anti-gravel protection.

Package	Color	Article
1l	Black	80116



PROFY cavity wax spray

Brown and colorless wax based coatings for protection of the inside of box panels, doors, light wells and other cavities in cars. These products provide excellent resistance to common road conditions, salt, moisture and corrosive atmospheres in general. Cavity waxes can also be used for rust protection of metal plates.

Package	Color	Article
500ml	Transparent	80111
500ml	Brown	80115



PROFILINE cavity wax

Brown and colorless wax based coatings for protection of the inside of box panels, doors, light wells and other cavities in cars. These products provide excellent resistance to common road conditions, salt, moisture and corrosive atmospheres in general. Cavity waxes can also be used for rust protection of metal plates.

Package	Color	Article
1l	Transparent	80810
1l	Brown	80114





TEHLINE brake cleaner spray

Powerful solvent cleaner with strong jet for use on brake discs, drums, pads, cylinders and calipers.

Package

500ml

Article

80130

TEHLINE silicone spray

Useable for a wide range of applications such as lubricating locks, hinges and other office and household appliances. Also suitable for the maintenance of rubber and other plastic materials

Package

500ml

Article

80131



TEHLINE glue remover spray

A mild solvent mixture for softening and removing the various sorts of glue residues used in the modern automobile industry. The product does not harm lacquer or plastic materials.

Package

400ml

Article

80132

TEHLINE rust remover spray

Black penetrating oil based on slowly evaporating solvents, mineral oils, corrosion inhibitors and molybdenum disulphide.

Package

500ml

Article

80133



TEHLINE tyre cleaner spray


Silicon based tire foam developed for cleaning and protecting tyres. After treatment with the foam, tyres revert to their original natural dark color.

Package

500ml

Article

80134



TEHLINE panel cleaner spray

Silicon-free lemon cockpit spray for cleaning up dashboards and other plastic materials inside cars.


SILICONE FREE

Package

500ml

Article

80135



TEHLINE multi cleaner spray

Orange foam cleaner based on water, solvents and surfactants with a wide spectrum of applications and excellent cleaning action. Suitable for cleaning furniture, upholstery car parts inside and out. Multi-purpose foam is also a great cleaning agent for universal use at home and in the office.

Package

500ml

Article

80136



TEHLINE shine wax spray

Spray wax based on synthetic and natural waxes, oils, solvents and water. The product cleans, and protects for a long time, giving a quick polish. Wax & shine is perfectly suitable for a quick super shine treatment for cars, caravans, polyester boats, synthetic window frames, motorbikes, bicycles, garden furniture, chromium etc.

Package

500ml

Article

80137



PROFILINE fade out thinner spray

Special thinner that can be used to fade out overspray of colored and clear coatings.

Package

500ml

Article

80119



Glue spray

Styrene-butadiene-rubber based adhesives for different surfaces such as cardboard, wood, paper, cork and foam.

Package

400ml

Article

80143



Plastic repair

Plastic repair two-part systems are high-strength, structural adhesives which are resistant to exposure to elevated temperatures, moisture, fuel, most solvents and chemicals. The adhesive systems are tested using stringent performance specifications of all major automotive manufacturers and heavy truck producers.

Package	Type	Article
20ml	Medium	80147
20ml	Fast	80148
20ml	Slow	80149
Additional applicators		30004



Direct glazing polyurethane adhesive

Windscreen adhesive: for optimal bonding of windows in the automotive sector. The window sealant is designed specifically for use in the automotive, marine and transport sectors. This sealant is Polyurethane base, with various Safe Drive Away Times (SDATs) and airbag classifications. Advantages: Excellent UV and weather resistance; Solid building power; High viscosity; No smell; Sound-absorbing properties.

Package	Type	Article
310ml	Fast	80129



Sprayable sealant

Sprayable sealant is a sprayable sealing and bonding material based on MS Polymer. Properties: Can directly be applied, as well as a thin stroke and as a larger stroke. Possibility of working up or modulate with a brush. Contains no isocyanides and silicone. Contains less than 7% of odourless aliphatic solvents. Very tolerant with the usual autorepair-enamels. Direct (wet on wet) sprayable with a coating. Very good adhesion with metals, primers and enamels. Fast curing.

Package	Color	Article
310ml	Grey	80227



Polyurethane sealant

1K-PU is a high strength, fast moisture curing one-component polyurethane. After curing it will remain flexible with very good adhesion.

Applications: Automotive; Marine; Construction and assembly industries; Bonding of PVC, Wood, PC, PBTO, PU, Concrete, Stainless Steel and Glass.

Features: Moisture curing; Over paintable after curing with water based. Please test solvent based paints first; Good UV-resistance; Non sagging.

Package	Color	Article
310ml	White	80126
310ml	Grey	80127
310ml	Black	80128



Glue

Cyanoacrylates are fast curing 1 component adhesives.
 The advantages: Easy to use; Does not turn white; Structural bond on several substrates; Bonds various substrates; Excellent UV resistant; Excellent chemical resistant.
 Applications: Automotive, industry and marine; Bonds many different substrates as EPDM, SBR, PVC, ABS etc.



Package	Article
20g	80150

Solvent 646 (II)

Nitro thinner suitable for cleaning of spray equipment.



Package	Article
0.5l	646
1l	80873
5l	80847
30l	80884

Hand wash paste sand-free

This is a classic, sand-free handwashing paste based on wood flour. By using highly effective skin protection components, this hand washing paste is especially kind to the skin.



Package	Article
5l	80403

Hand cleaning cream

Features: Thorough, but gentle hand cleaning. Natural lipid protection for greasy skin. Ecologic product.
 Application: The hand cleaning cream with little water, rub in the hands and loose the dirt. After rinse with clean water.



Package	Article
3l	80404
Dispenser for hand cream	80405





PROFY silicone remover - degreaser

High quality product designed for removal of silicon, oil and grease. It cleans and removes fat from:

- zinc coated surfaces
- aluminum surfaces
- stainless surfaces
- steel surfaces

Package	Article
1l	90101



Silicone remover - degreaser

Silicon Remover is a product that effectively removes all dirt, including fat and silicone remaining on the surface of the painted element. It does not leave a white raid after washing and does not have an unpleasant smell of gasoline. It is an effective cleaning agent before painting.

Silicone cleaner is a specially developed solvent for cleaning and degreasing:

- Steel surfaces
- Aluminum surfaces
- Galvanized steel
- Stainless steels
- Plastics
- Old paint coatings
- Foundations
- Polyester putties.

Package	Type	Article
1l	Slow	80868
5l	Slow	80874



PROFY silicone remover

High quality product designed for removal of silicon, oil and grease. It cleans and removes fat from:

- zinc coated surfaces
- aluminum surfaces
- stainless surfaces
- steel surfaces

Package	Type	Article
5l	Standard	90102



Stonder PROFY base paint thinner

High quality product designed for diluting car basecoats.

Package	Article
1l	90104
5l	90105

PROFY acrylic paint solvent

Stonder Profy acrylic solvent is a mixture of solvents giving a product applied for thinning all fillers and acrylic lacquers.

Package	Article
5l	90106



PLUS acrylic thinner

A mixture of carefully selected organic solvents for diluting high-quality acrylic and polyurethane varnishes.

Application:

- Colored acrylic and polyurethane varnishes
- Clear acrylic and polyurethane varnishes
- One or two-component acrylic primers

Package	Type	Article
0.5l	Standard	80822
0.5l	Fast	80823



Seam sealant

Brushable seam sealant is a one-component product based on synthetic rubber that hardens by evaporation of solvents. It is designed for sealing welded joints, pressure welds and metal soldered joints. It forms a durable and elastic seal that ensures resistance to water, petrol, oils and high temperatures (to 60°C). It can be painted with all lacquer systems (fresh or after hardening).

Package	Color	Article
1kg	Dark grey	09203



Polyester resin with hardener

Repair resin is suitable for manual application, to perform repairs of the surface defects. In combination with glass mat, properly prepared laminate forms a flexible and resistant to mechanical damage system. The advantage of that system is resistance to weathering, lubricants, oils, dilute acids, which allows use it in boatbuilding, automotive as well as in construction.

The kit consists of polyester resin - 242g, curing agent - 8g, glass mat - 0.25 m². The kit is designed to fill large holes and cavities in material (e.g., resulting from corrosion), reinforce and brace surfaces made of metal and plastic.

Package	Type	Article
0.25kg	Kit	09400
1kg	-	09401





Spray for filling

Pre-fill spray paint is pre-filled with propellant and specific additives and then filled by filling machines with the desired coat. Innovative spray and valve technology guarantee the fine broad jet atomisation, a high application rate and constant pressure for best workmanship and professional-quality end results. Pre-fill converter also contains a converter that converts 2K topcoats in a 1-component, physically-drying paint. A large selection of pre-filled tins of various paint manufacturers is available to fill with 2K acrylic coating systems without adding hardener. Application: Ideal for spot repairs or refinishing parts

Package

300ml

Article

80101



Pressure sprayer

Pressure sprayer for spraying water- and solvent-based degreasers. Resistant to solvents due to viton parts, always consult resistance list before use.

Package

1l

Article

80864



Gun care spray

Gun care spray is made for hunting, sporting and collecting guns. The additive tuboline increases the gliding quality of all movable parts; ensures the function of repeat and automatic guns.

- Loosens: powder, lead, tombac, copper, nickel-residues
- Protects against corrosion • Displaces humidity
- Neutralises hand sweat • Lubricates all metall parts
- Contains: no silicone, no PTFE, no graphite

Package

100ml
300ml

Article

80145
80144



Brake cleaner

Excellent for cleaning brakes and clutch systems. Quickly removes oily and greasy residues. Easily removes soot and brake dust from the vehicle, discs and drum brakes, engine and gearbox.

Package

20l
60l

Article

80152
80153

Antidust

Anti-dust coating is available as a conventional tacky spray booth coating with additional heat stabilisers so that it will retain tackiness for many weeks, even in hot (80°C) areas.



Package

5l

Article

C180-200

Degreaser wipes

Engineered specifically for wiping, STONDER degreaser wipes is made of a tough, durable material that is abrasion and solvent resistant, contains no binders or glues, is low-linting, and highly absorbent in water, oil and solvents. STONDER degreaser wipes are ideal for a wide range of applications including aviation, manufacturing, painting, automotive and machinery repair, printing, graphic arts and much more.



Package

Size

Article

500sheets/roll	32x42cm	78100
100sheets	32x42cm	78100100

Degreaser wipes 70g/m²

Absorbent, medium-heavy nonwoven quality made from 100% meltblown polypropylene Robust and very wet-fast, very lint-free. Wearable ("sponge cloth effect") and reusable. Solvent resistant and silicone free. Ideal as a wipe for cleaning smooth surfaces in combination with water and solvents, or as a special cloth to absorb oily or greasy dirt. Main fields of application: Ideal wiping cloth for wet cleaning of smooth surfaces, etc. In industrial plants and production facilities, in workshops, in mechanical engineering as well as in the automotive industry.



Package

Size

Article

500sheets/roll	32x36cm	78105
35sheets	40x36cm	78106

Polishing wipes

- Extra-soft, safe for your finish
- Removes polish quickly and effectively for a brilliant shine
- Disposable
- No laundering
- Remove polishes/waxes
- Keep cloth wet
- Excellent for detailing chrome and interiors



Package

Size

Article

50sheets 36.5x40cm 1340226950

PLUS two-layer paper rolls

The interleaf bonding of the two-ply tissue STONDER PLUS provides the cloths with better absorbency and tear resistance. The economical wiping cloth is suitable for light wiping operations. By volume stamping increases the absorption Package of the cloth. The use of recycled tissue makes it an environmentally friendly wipe alternative. STONDER PLUS is particularly tear-resistant and available as a towel or cleaning cloth roll. Material extra: glued between the sheets, perforated.



Package

Type

Article

2000sheets 36x38cm 78103
in two rolls



PROSAND sanding disc

Stonder ProSand discs is a unique, multifunctional sanding material developed for tackling both smooth and profiled surfaces. The flexible construction allows it to create a smooth sanding pattern on angled surfaces and edges while minimizing the risk of pressure marks. For wet sanding.

Package	Size	Grit	Article
15pcs	Ø150mm	P1000	01500011
15pcs	Ø150mm	P2000	01500021
15pcs	Ø150mm	P3000	01500031



PRONET sanding disc

A combination of high performance and a longer lifespan than traditional abrasives gives a cost-effective solution. Designed for dry sanding by machine or by hand, its true dust-free sanding characteristics result in a cleaner work environment, as well as a better surface finish.

Package	Size	Grit	Article
50pcs	Ø150mm	P80	01500008
50pcs	Ø150mm	P120	01500012
50pcs	Ø150mm	P180	01500018
50pcs	Ø150mm	P240	01500024
50pcs	Ø150mm	P320	01500032
50pcs	Ø150mm	P400	01500040
50pcs	Ø150mm	P600	01500060



PRONET abrasive sheets

A combination of high performance and a longer lifespan than traditional abrasives gives a cost-effective solution. Designed for dry sanding by machine or by hand, its true dust-free sanding characteristics result in a cleaner work environment, as well as a better surface finish.

Package	Size	Grit	Article
50pcs	70x420mm	P80	70420008
50pcs	70x420mm	P120	70420012
50pcs	70x420mm	P180	70420018
50pcs	70x420mm	P240	70420024
50pcs	70x420mm	P320	70420032
50pcs	70x420mm	P400	70420040

GREEN sanding disc


Stonder Green Sanding disc is a premium product with strong and even surface film backing that allows better surface finish and longer life. It is also great for corner and edge sanding without problems with tearing.



Package	Size	Grit	Holes	Article
100pcs	Ø150mm	P80	15h	01501508
100pcs	Ø150mm	P100	15h	01501510
100pcs	Ø150mm	P120	15h	01501512
100pcs	Ø150mm	P150	15h	01501515
100pcs	Ø150mm	P180	15h	01501518
100pcs	Ø150mm	P240	15h	01501524
100pcs	Ø150mm	P280	15h	01501528
100pcs	Ø150mm	P320	15h	01501532
100pcs	Ø150mm	P400	15h	01501540
100pcs	Ø150mm	P500	15h	01501550
100pcs	Ø150mm	P600	15h	01501560
100pcs	Ø150mm	P800	15h	01501580
100pcs	Ø150mm	P1000	15h	01501511
100pcs	Ø150mm	P1500	15h	01501516

GOLD sanding disc

Stonder Gold sanding disc is precision-coated for long life and exceptionally smooth finishing sanding projects. It features light paper backing with sharp, durable aluminum oxide abrasive – a fast, aggressive cut, yet a uniform finish for feather-edging and primer sanding.



Package	Size	Grit	Holes	Article
50pcs	Ø150mm	P40	15h	2201501504
50pcs	Ø150mm	P60	15h	2201501506
100pcs	Ø150mm	P80	15h	2201501508
100pcs	Ø150mm	P100	15h	2201501510
100pcs	Ø150mm	P120	15h	2201501512
100pcs	Ø150mm	P150	15h	2201501515
100pcs	Ø150mm	P180	15h	2201501518
100pcs	Ø150mm	P220	15h	2201501522
100pcs	Ø150mm	P240	15h	2201501524
100pcs	Ø150mm	P280	15h	2201501528
100pcs	Ø150mm	P320	15h	2201501532
100pcs	Ø150mm	P400	15h	2201501540
100pcs	Ø150mm	P500	15h	2201501550
100pcs	Ø150mm	P600	15h	2201501560
100pcs	Ø150mm	P800	15h	2201501580

Scotch-Brites

Stonder Mirlon is a flexible, three-dimensional fibre sanding material that is easy to use on profiled surfaces and gives an excellent finish, thanks to its special structure. It's ideal for matting of surfaces and creates an excellent base for the next layer.



Type	Package	Size	Grit	Article
VF	10pcs	Ø150mm	P360	015000VF
UF	10pcs	Ø150mm	P1500	015000UF
VF	10pcs	115x230mm	P360	112300VF
UF	10pcs	115x230mm	P1500	112300UF
VF	Roll	115mmx10m	P360	80903
UF	Roll	115mmx10m	P1500	80901


Foam sandpaper

The soft and flexible Stonder foam sandpaper for sanding profiled surfaces and irregular, difficult-to-reach details by hand. Especially useful within the automotive industry and the car repair branch. The foam base is grip friendly and applies pressure evenly, which reduces the risk of sanding through the surface.



Package	Size	Grit	Article
Roll	115mmx25m	P180	11255118
Roll	115mmx25m	P240	11255124
Roll	115mmx25m	P320	11255132
Roll	115mmx25m	P400	11255140
Roll	115mmx25m	P500	11255150
Roll	115mmx25m	P600	11255160
Roll	115mmx25m	P800	11255180
Roll	115mmx25m	P1000	11255111

Flexible sandpaper protective pad



Package	Size	Type	Article
1pcs	Ø150mm	Soft	29996001
1pcs	75x120mm	Soft	29996005

Flexible sandpaper

The innovative latex backing and the unique grain structure result in extremely uniform and shallow scratches. Maximum control during primer and topcoat sanding allows up to 50% time saving. Stonder Flexible prevents potential problems in the rest of the sanding process.



Package	Size	Grit	Holes	Article
25pcs	Ø150mm	P600	15h	2V15015F
25pcs	Ø150mm	P800	15h	2W15015F
25pcs	Ø150mm	P1200	15h	2Y15015F
25pcs	Ø150mm	P1500	15h	2Z15015F
25pcs	Ø150mm	P2000	15h	2ZA15015F
25pcs	Ø150mm	P3000	15h	2ZC15015F
25pcs	170x130mm	P400	-	2T130X170
25pcs	170x130mm	P600	-	2V130X170
25pcs	170x130mm	P800	-	2W130X170
25pcs	170x130mm	P1000	-	29983140
25pcs	170x130mm	P1200	-	2Y130X170
25pcs	170x130mm	P1500	-	29983150
25pcs	170x130mm	P3000	-	2ZC130X170

Hard cut

Most advanced dry sanding system that combines aggressiveness and uniformity, used for removal of imperfection.

- Dustnibs of varied size can be eliminated faster and easier
- Extremely uniform and shallow scratch
- Applicable for Waterborne and High Solid Clear

Analog of KOVAX tolecut

Package	Size	Grit	Color	Article
50pcs	Ø35mm	P1500	Pink	29984130
50pcs	Ø35mm	P2000	Green	29984140
50pcs	Ø35mm	P3000	Black	29984160
25pcs	114x70mm	P1500	Pink	29984230
25pcs	114x70mm	P2000	Green	29984240
25pcs	114x70mm	P3000	Black	29984260
25pcs	114x70mm	P1500	Pink	29984330
25pcs	114x70mm	P2000	Green	29984340
25pcs	114x70mm	P3000	Black	29984360

1/8

Dry guide coat with applicator

- Maximised coverage on filler/primer - effective detection of surface imperfections
- Black powder coating - no masking, no overspray, no drying time
- Supplied with hand applicator - quick & easy to apply



Package	Color	Article
100g	Black	80833

MASKING AND TAPES



Masking film

Medium-thick protective film with a wide application for securing the car's surface. Very durable due to the appropriate thickness. Provides hygienic working conditions. Protects the surface from damage and scratches.

- Protects against paint, dust and moisture
- Very durable
- Effective as a cover material
- Useful in renovation works, also in the automotive industry
- Perfectly protects against dirt
- Thickness - 0.007mm
- Size - 20m²

Package	Size	Color	Article
1pcs	4x5m	Transparent	STON36



Masking film

The PE film is transparent in order to facilitate cutting it at the edge of the painting surface. It is electrostatically loaded for fast adhesion on the surface, preventing small particles from reaching the unprotected areas. The film is folded in "M" shape and rolled on cardboard tube (its length does not exceed 95cm), so that a single person could unroll, unfold and cut it.

Package	Size	Color	Article
1roll	4x150m	Transparent	810003
1roll	4x300m	Transparent	810001
1roll	6x100m	Transparent	810006

Masking paper

- Very pliant and easy to use.
- Wet and tear proof particularly for spray painting.
- A sweeping resistant masking paper that perfectly meets the requirements.
- Prime malleability
- Ideally suited for all customary base-, acrylic-, clear- and water based lacquers.
- Absolute free of paper dust, no fuzzing
- Excellent density, achieved by a special surface treatment.



Package	Size	Color	Weight	Article
1roll	0.2x300m	Brown	40g/m ²	GR40F20300
1roll	0.3x300m	Brown	40g/m ²	G504030300
1roll	0.4x300m	Brown	40g/m ²	G504040300
1roll	0.6x300m	Brown	40g/m ²	G504060300
1roll	0.9x300m	Brown	40g/m ²	G504090300
1roll	0.2x450m	Brown	40g/m ²	GR40F20450
1roll	0.3x450m	Brown	40g/m ²	G504030450
1roll	0.4x450m	Brown	40g/m ²	GR40F40450
1roll	0.6x450m	Brown	40g/m ²	G504060450
1roll	0.9x450m	Brown	40g/m ²	G504090450
1roll	1.2x450m	Brown	40g/m ²	G504012045
1roll	0.2x450m	Brown	45g/m ²	4520450G50
1roll	0.4x450m	Brown	45g/m ²	4540450G50
1roll	0.6x450m	Brown	45g/m ²	4560450G50
1roll	0.9x450m	Brown	45g/m ²	4590450G50

225 masking tape 137.0 micron

Automotive grade masking tape for indoor applications. 5 days removal, can reach up to 80°C for 30 minutes.

Paper masking tape for general automotive applications. Ideal for duties where good holding power and temperature performance are required. Natural rubber adhesive for good instant adhesion securing grip, clean 'lift-off' removal and excellent edge definition.

Package	Size	Color	Article
1pcs	18mm x 50m	Brown	13590
1pcs	24mm x 50m	Brown	14921
1pcs	36mm x 50m	Brown	13591
1pcs	48mm x 50m	Brown	12003



288 masking tape 137.0 micron

Premium Automotive grade masking tape for indoor applications. 5 days removal, can reach up to 100°C for 30 minutes

Paper masking tape for general automotive applications. Ideal for duties where good holding power and temperature performance are required. Natural rubber adhesive for good instant adhesion securing grip, clean 'lift-off' removal and excellent edge definition.

Package	Size	Color	Article
1pcs	24mm x 50m	White	15934
1pcs	36mm x 50m	White	15935
1pcs	48mm x 50m	White	15936



Duct tape

- Premium duct tape with high adhesion
- Good adhesion to the most surfaces
- Versatile: packaging, bundling, sealing, temporary reparations
- Hand tearable
- Adhesive: natural rubber
- Carrier: PE coated cloth
- Maximum temperature: 60°C (up to 70°C for short periods)
- Tensile strength: 85 N/25 mm
- Adhesive strength: 14 N/25 mm
- Thickness: 0,20 mm

Package	Size	Color	Article
1pcs	48mm x 50m	Silver	PD4850



Foam rubber tape

Stonder Foam rubber tape provides a fast and easy way to mask door jambs and other apertures, such as hood and deck lid openings.

Package	Size	Color	Article
1roll	13mm x 20m	White	81320
1roll	13mm x 50m	White	81350





Flexible tape

Thin and flexible contour line tape with excellent adhesion to different substrates. Intended for precise delineation of partition lines between different coating colours.

Package	Size	Color	Article
1pcs	3mm x 33m	Blue	720000333
1pcs	6mm x 33m	Blue	720000633
1pcs	9mm x 33m	Blue	720000933



Acrylic foam tape

Stonder Acryl two side foam tape used mainly in automotive industry for mounting battens, logos, etc. Resistant to atmospheric conditions, salt, water, UV radiation and temperature. Used also as a very strong universal tape, for instance, when attaching posters, hooks, racks, decorative profiles etc.

Package	Size	Color	Article
1pcs	6mm x 10m	Transparent	210610
1pcs	9mm x 10m	Transparent	210910
1pcs	12mm x 10m	Transparent	211210



Acrylic foam tape

Stonder Acryl two side foam tape used mainly in automotive industry for mounting battens, logos, etc. Resistant to atmospheric conditions, salt, water, UV radiation and temperature. Used also as a very strong universal tape, for instance, when attaching posters, hooks, racks, decorative profiles etc.

Package	Size	Color	Article
1pcs	6mm x 5m	Black	20605
1pcs	9mm x 5m	Black	20905
1pcs	12mm x 5m	Black	21205
1pcs	25mm x 5m	Black	22505
1pcs	6mm x 10m	Black	20610
1pcs	9mm x 10m	Black	20910
1pcs	12mm x 10m	Black	21210
1pcs	19mm x 10m	Black	21910

Adjustable hand sanding block

It's a multifunction tool for sanding concave, convex and flat surfaces thanks to a millimeter mechanical adjustment. Arranged for the dust suction is composed of a plastic part and a surface area of adhesion to the abrasive paper called Velcro. In fact, thanks to the mechanical adjustment the operator can easily adapt the tool to the surface to be sanded. The easy removal of the adjustment mechanism allows to adapt the shape of the tool to the surface and having the tool free from restrictions in the hands.



Package	Size	Holes	Article
1pcs	70 x 400mm	53h	63F7R40253

Hand sanding block

It's a multifunction tool for sanding concave, convex and flat surfaces. The same type of tool as adjustable hand sanding block but without any possibility of adjustment. This hand block maintains the characteristics of this line with particular attention to design and handling, not to mention the innovative features such as high dust removal and the low height of the tool.



Package	Size	Holes	Article
1pcs	70 x 400mm	53h	56R0531740

Hand block kit for curved surfaces

Is a multipurpose tool conceived for sanding on concave, convex and flat shaped surfaces thanks to special adapters coupled with their handle. 4 adapters replacement is quick and easy. The flat adapter ("flat") is the perfect completion of this kit. The kit is equipped with air control valve, 4mt long suction tube and a Ø29mm tube fitting.



Package	Size	Holes	Article
1pcs	70 x 198mm	-	54R5620193

Multi purpose hand block kit for curved surfaces

Is a multipurpose tool conceived for sanding on concave, convex and flat shaped surfaces thanks to special adapters coupled with their handle. 3 adapters replacement is quick and easy. The flat adapter ("flat") is the perfect completion of this kit. The kit is equipped with air control valve, 4mt long suction tube and a Ø29mm tube fitting.



Package	Size	Holes	Article
1pcs	74 x 147 mm	37h	55R7712147

POLISHING



Rotary polishing compounds

This range is formulated for the rotary polishers maximum efficiency, paint shop safe and suitable for any car paint, refinish or OEM. They are the result of accurate research on high quality abrasive powders, to obtain the correct mix of fast cutting and good finish.

Package	Type		Article
1000ml	Coarse	S1	80838
250ml	Coarse	S1	80839
1000ml	Fine	S2	80840
250ml	Fine	S2	80841
250ml	Coarse	S	80843



S1

1pcs Ø150mm Blue 80845



S2

1pcs Ø150mm Green 80846

Polishing pads that can be used to apply polish to a surface and process it in a mechanical way.

Rifled polishing pad



Package	Size	Color	Article
1pcs	Ø150mm	White	PPW8/150VW
1pcs	Ø150mm	Orange	PPO8/150VW
1pcs	Ø150mm	Blue	PPB6/150VW
1pcs	Ø150mm	Black	PR3/150VW
1pcs	Ø200mm	Black	PIB3/200V
1pcs	Ø200mm	Blue	PPB6/200V
1pcs	Ø200mm	Yellow	PPY6/200V

Polishing pads



Package	Size	Color	Article
1pcs	Ø150mm	White	PO580V
1pcs	Ø150mm	Black	PR3/150V
1pcs	Ø150mm	Blue	PPB6/150V

Polishing pads (Flat)

Package	Size	Color	Article
1pcs	Ø150mm	White	PO580VŠ
1pcs	Ø150mm	Green	PGF47-VC

Lambskin Wool Polishing Pads.

- Made from 100% natural genuine lambskinwool
- Machine degreased, full chrome tanning
- Available in soft wool or coarse wool version
- Density and wool fineness 52's count & up
- White or black velcro backing
- 100% silicon free product

Twisted wool polishing bonnets (double sided)

Package	Size	Type	Article
1pcs	Ø205mm	100% coarse wool	846693703
1pcs	Ø205mm	100% soft wool	846693705
1pcs	Ø205mm	60% wool 40% acrylic	846693707



Twisted wool polishing bonnets (single side)

Package	Size	Type	Article
1pcs	Ø180mm	100% coarse wool	846693711
1pcs	Ø205mm	100% soft wool	846693712



Twisted wool polishing bonnets (single side)

Package	Size	Type	Article
1pcs	Ø150mm	100% soft wool	846693704
1pcs	Ø150mm	60% wool 40% acrylic	846693706



Polishing pads (black velcro)

Package	Size	Type	Article
1pcs	Ø150mm	white soft wool	846693702
1pcs	Ø180mm	white soft wool	846693713



Polishing pads (black, white velcro)

Package	Size	Type	Article
1pcs	Ø55mm	white soft wool	846693701
1pcs	Ø80mm	white soft wool	846693708
1pcs	Ø80mm	Black soft wool	846693709



Adapter

Package	Type	Article
1pcs	M14 - 5/8	73071990





Compounding and polishing heads M14

Heads has a closed cell structure which means there is minimal throw off (mess) and can be used with water. Excellent properties for cut and gloss. Features hook and loop system.

Package	Size	Color	Article
1pcs	Ø150mm	Black	PR3M14
1pcs	Ø150mm	Blue	PPB6/150BP
1pcs	Ø150mm	White	PO580M14
1pcs	Ø150mm	Green	PGF97-EDGE

Microfiber cloths

- 80% Polyester + 20% Polyamide-Microfiber
- Width: 400 mm
- Length: 400 mm



Package	Color	Construction	g/m ²	Article
1pcs	Grey	Knitted	1200	80898
1pcs	Blue	Knitted	520	80900
1pcs	Blue	Knitted	250	80898
1pcs	Blue	Weft knitted	320	80904

Polishing back-up pad

- Fits all standard (M14) polishers
- Backup pad supports single-sided compounding or polishing pads
- Provides a firm attachment, yet allow for easy removal of abrasive disc
- Centers compounding or polishing pads with great accuracy
- Hookit attachment system allows for simple disc changes



Package	Size	Type	Article
1pcs	Ø125mm	Hard	BPA125
1pcs	Ø125mm	Soft	BPAS125

Polishing pad trays

It is a tool assembled on pneumatic or electrical sanders that rotates clockwise. It generally consists of a plastic support, an intermediate part in neoprene rubber and a special surface for attachment of the abrasive disc. They are normally used for sanding with abrasive discs, as supports for resin buffers and Merinos wool hoods for polishing. The latter is highly interesting on account of outstanding suction with consequent extension of abrasion efficiency thanks to rational distribution of the holes over the entire surface area of the disc. It is, more specifically, used with rough, medium and fine grains.



Package	Size	Type	Article
1pcs	Ø125mm	M14	PL12120114
1pcs	Ø150mm	M14	PL11520114

Soft protection pads

A soft interface is a soft support consisting in one polyester layer lined with 'female' fabric on one side and 'male' (hooked) fabric on the other side. Interposed between the back up pad and the abrasive disc, this support is generally used with medium-to-fine abrasive grain sizes. Thanks to its softness, it guarantees a better surface finish and less abrasive material.



Package	Size	Thickness	Holes	Article
1pcs	Ø150mm	5mm	15h	MO08152515
1pcs	Ø150mm	10mm	15h	MO08152015



Orbital Polisher

Leading vibration elimination technology to reduce operator fatigue. Dust-Devil multi-hole backing plate to keep pad temperature low. Soft-Start to reduce splash. Speed stabilizer to offer the constant speed output. Configured with long-life motor and carbon brush. Ergonomic body design. 5-meter long power supply cord

- Input Power: 500W
- Speed: 2500-4500/min
- Backing Plate Size: 123mm
- Foam Pad Size: 150mm
- Weight: 2.6 kg
- Thread: M8
- Power Supply Cord: 5 Meter
- Orbit Size: 15mm



Package	Article
1pcs	EX610-5/15

Rotary Polisher

Leading vibration elimination technology to reduce operator fatigue. Dust-Devil multi-hole backing plate to keep pad temperature low. Soft-Start to reduce splash. Speed stabilizer to offer the constant speed output. Configured with long-life motor and carbon brush. Ergonomic body design. 5-meter long power supply cord

- Input Power: 800W (Max.1200W)
- Speed: 700-2500 /min
- Backing Plate Size: 123mm
- Foam Pad Size: 148mm
- Weight: 2.2 kg
- Thread: M14
- Power Supply Cord: 5 Meter
- Accessories: 123mm backing plate



Package	Article
1pcs	EP801G1+

Fiberglass floor filter for paint booth

Package	Size	thickness	Article
1roll	0.68m x 20m	60mm	682060
1roll	0.75m x 20m	60mm	752060
1roll	1m x 20m	60mm	12060
1roll	2m x 20m	60mm	22060



Ceiling filter for paint booth

Package	Size	thickness	Article
1roll	2m x 20m	25mm	22025
1roll	2.32m x 20m	25mm	2322025





Butterfly stand

Package

1pcs

Article

IMET113



X-shaped stand

Package

1pcs

Article

IMET112



Swivel stand for painting parts

Package

1pcs

Article

IMET111



Masking paper stand

Package

1pcs

Article

IMET114



Tool stand on wheels

Package

1pcs

Article

IMET120

Paint filters

Paint spraying before use, relatively high demand products, need to use the funnel of higher density, in order to achieve better results, make the product more fine spray paint.


- Made of nylon mesh, mesh after being gravity, not easily deformed
- Easy to use, easy to operate, easy to filter
- A fine mesh uniform, fine filter impurities
- For automotive paint spray



Package	Type	Color	Article
250pcs	190µm	White	80855
250pcs	125µm	White	80852

Polyamide cable ties

- MATERIAL: Polyamide 6.6
- Material brand: Dupont, Ascend
- Flammability of raw material : UL 94 - V2
- Humidity absorption: 2,7%-2,8% (23°C -50% R.H.)
- Installation temperature: -10°C ~+85°C.
- Working temperature:-40°C ~+85°C.
- Max sustaianable teperature for short time:+110°C.
- Good resistance to bases, oils, greases, oil derivates, chloride solvents. Limited resistance to acids.
- Not resistant to phenols.
- Carbon black addiction gives a better UV resistance (only for Black Cabe Ties)



Package	Size	Tensile Strength	Min Bundle Ø	Max Bundle Ø	Color	Article
100pcs	2.5 x 100mm	8kg	3.0mm	20.5mm	Black	3750S25100
100pcs	2.5 x 160mm	8kg	3.0mm	39.8mm	Black	3750S25160
100pcs	2.5 x 200mm	8kg	3.0mm	52.5mm	Black	3750S25200
100pcs	3.6 x 140mm	18kg	3.5mm	33.0mm	Black	3750S36140
100pcs	3.6 x 200mm	18kg	3.5mm	52.5mm	Black	3750S36200
100pcs	3.6 x 300mm	18kg	3.5mm	84.0mm	Black	3750S36300
100pcs	4.7 x 360mm	22kg	3.5mm	100.0mm	White	3751S47360
100pcs	4.8 x 200mm	22kg	3.5mm	49.5mm	Black	3750S48200
100pcs	4.8 x 300mm	22kg	3.5mm	81.0mm	Black	3750S48300
100pcs	4.8 x 370mm	22kg	3.5mm	103.5mm	Black	3750S48370
100pcs	7.6 x 300mm	55kg	8.5mm	82.8mm	Black	3750S76300
100pcs	7.6 x 370mm	55kg	8.5mm	103.5mm	Black	3750S76370
100pcs	7.8 x 200mm	55kg	8.5mm	50.9mm	Black	3750S78200
100pcs	7.8 x 450mm	55kg	8.5mm	130.5mm	Black	3751S78450
100pcs	12.4 x 230mm	110kg	9.0mm	57.0mm	Black	3750S12423
100pcs	12.4 x 580mm	110kg	9.0mm	168.0mm	Black	3750S12458



Color test cards

The aim of a hiding power test is to perform a test spraying in order to indicate the hiding power of a basecoat or acrylic paint. On card there is a black and white checker which is to facilitate the indication of hiding power. Size: 150 x 70 mm.



Package	Type	Article
50pcs	With inscription	3140
50pcs	Whitout inscription	3120

Magic cable ties

- Self-locking head and body design
- Provides a fast and easy way of application
- Material: Hook: Nylon, Loop: Polyester, Base: Synthetic Resin
- Melt temperature: Hook: 230°C, Loop: 180°C
- Working (Operation) Temperature -40°C - + 85°C
- Min Installation Temperature: -20°C
- Remarks: the tensile strength will be increased under the cold temperature, but the durability will be reduced.
- Water resistant: it could be used under the water, the tensile will be reduced 50%, but after dry it, the tensile will be recovered.
- Chemical Resistant: Alkaline Soda (50%), Ammonia (28%), Hydrochloric Acid (2.5%), Nitric Acid (3.5%), can be still worked.
- Tensile Strength: 1x1cm connection: 25N, Peeling force: 1x1cm connection: 3N



Package	Color	Max Ø	Article
10pcs	White	35mm	S125130
10pcs	Black	35mm	S1251300
10pcs	Red	35mm	S1251301
10pcs	Blue	35mm	S1251302
10pcs	Yellow	35mm	S1251303
10pcs	Green	35mm	S1251304

12.5 x 130mm

Package	Color	Max Ø	Article
10pcs	White	59mm	S125200
10pcs	Black	59mm	S1252000
10pcs	Red	59mm	S1252001
10pcs	Blue	59mm	S1252002
10pcs	Yellow	59mm	S1252003
10pcs	Green	59mm	S1252004

12.5 x 200mm

Package	Color	Max Ø	Article
10pcs	White	89mm	S125300
10pcs	Black	89mm	S1253000
10pcs	Red	89mm	S1253001
10pcs	Blue	89mm	S1253002
10pcs	Yellow	89mm	S1253003
10pcs	Green	89mm	S1253004

12.5 x 300mm

Package	Color	Max Ø	Article
10pcs	White	92mm	S170310
10pcs	Black	92mm	S1703100
10pcs	Red	92mm	S1703101
10pcs	Blue	92mm	S1703102
10pcs	Yellow	92mm	S1703103
10pcs	Green	92mm	S1703104

17 x 310mm



Eraser Pads

Eraser pads removes vinyl, tape, graphics, decals and stripes without damaging the materials surface. When mounted onto drills, the high speed motion of the eraser pads eliminates impressions with friction instead of abrasives preventing any damage to the surface.



Package	Size	Thickness	Article
1pcs	Ø88mm	15mm	32135
1pcs	Ø100mm	20mm	32140

Tack cloth

The tack cloth is perfectly applicable for all painting and associated cleaning works. Its unique impregnation absorbs and holds dust and dry dirt reliably. The carrier material of high standard, loose gauze tissue lets the dust enter to the inner layers and provides additional security and the highest possible dust absorption Package. The impregnation is totally free from silicone and wax, absolutely compatible with all kinds of paint and it never dries out.



Package	Size	Article
1pcs	80 x 80cm	80842

Standard reusable coveralls

- Material: 100% Polyester
- Silicone-free, lint-free
- PPE CAT.I
- Breathable
- 1 breast pocket with velcro, 2 side pockets
- Hood with drawstring
- 2-way zipper, covered
- Elastics at the wrist
- Washable at 30°C or by chemical cleaning



Package	Size	Color	Article
1pcs	M (46/48)	Blue	80848
1pcs	L (50/52)	Blue	80849
1pcs	XL (54/56)	Blue	80850
1pcs	2XL (58/60)	Blue	80851

Mixing cups and lids

Disposable transparent paint mixing cups with lids for paint preparation made of polypropylene. Cups and lids are solvent resistant, material is not degrading. Cups have clearly printed mixing ratios.



Package	Size	Type	Article
1pcs	0.385L	Cup	0102-0045
1pcs	0.385L	Lid	0206-0385
1pcs	0.750L	Cup	0102-0046
1pcs	0.750L	Lid	0206-0750
1pcs	1.400L	Cup	0102-0047
1pcs	1.400L	Lid	0206-1400
1pcs	2.300L	Cup	0102-0048
1pcs	2.300L	Lid	0206-2300



H.V.L.P premium spray gun

- Optimal working pressure(bar/psi): 2/29
- Pattern width(cm): About-24
- Air consumption (L/min): 340
- Capacity of cup(ml): Aluminum/Plastic 600ml
- Air inlet: 1/4"

Package	Model	Nozzle	Article
1pcs	MP-400	1.3	MP-40013
1pcs	MP-400	1.4	MP-40014



H.V.L.P traditional spray gun

- Optimal working pressure(bar): 3-4
- Pattern width(cm): About-24
- Air consumption (l/min): 170-300
- Capacity of cup(ml): Aluminum/Plastic 600
- Air inlet: 1/4"

Package	Model	Nozzle	Article
1pcs	H-827	1.4	H-827P14
1pcs	H-827	1.7	H-827P17
1pcs	H-827	2.0	H-827P20
1pcs	H-827	2.5	H-827P25



Under coating gun

- Go hand in hand with throw-away cup
- Concenient, fleet and easy to operate
- Could use with the nozzle with plastic pipe, adapt to various coating requirements
- Air inlet: 1/4"
- Rated pressure(bar): 3-8/45
- Max pressure(bar): 10

Package	Model	Article
1pcs	PS-6	PS-6



Air regulator with manometer

- Nominal pressure(bar): 0-10
- Maximum pressure(bar): 15
- Air inlet/outlet: 1/4"

Package	Model	Article
1pcs	FR-3	FR-3



Mini air filter

Mini air purification unit with valve, which removes dirt and water from air pressure system. Ideal for use with spray guns.

- Filter: up to 20 micron
- Thread: 1/4"

Package	Model	Article
1pcs	MF80	MF80



Air sander

- Free speed(rpm): 10000
- Sanding pad diameter(mm): 150
- Spindle thread: 5/16"-24 female
- Air consumption(l/min): 425
- Working pressure(bar) : 6.3
- Exhaust: Central vacuum
- Length(mm): 184
- Net weight(kg): 0.6

Package	Model	Article
1pcs	AT-16	AT-16



Applicator gun for plastic repair

- Material: PBT
- Size: 50ml 1:1 2:1



Package	Article
1pcs	80861

Deluxe Magnetic Paint Spray Gun Holder

Magnetic gun holder is portable Holds up to 2 gravity feed spray guns and 2 air hoses at the same time. No more bending over to pick-up hose. Keeps hose away from contaminants.

- Material: Magnet, steel
- Features: Powerful cushioned magnets and PVC bumper prevent damaging surfaces
- Size: 200x120x45mm



Package	Article
1pcs	80867

Spray Gun Cleaning Kit 22PCS

Kit includes:

- 6pc. Precision Needle Set
- Handle for Precision Needle
- Handle for Detail Brush
- 3pc. Detail End Brush Set (1/4", 3/8" & 1/2")
- 12" Pick-up Tube Brush
- 5pc. Precision Mini Twisted Brush
- Nylon Bristle Parts Brush
- Brass Power Pick-up Tube Brush
- 1/4" HVLP Brush
- 1/2" Body Cavity Brush
- Empty Bottle of cleaning Solution



Package	Article
1kit	80862

Spray gun cleaning brush

- Dimension: full length 125mm, wool length 50mm, outside diameter 17mm.
- Handle Color: blue, yellow
- Wool Color: black.
- Material: nylon bristle, POM handle.
- Purpose: inner hole pipe cleaning brush.



Package	Article
1pcs	80865

Paint Touch Up bottle

- Material: PP
- Capacity: 50ML
- Color: White

Package	Article
1pcs	80853



Plastic paint mixing sticks

Package	Size	Color	Article
1pcs	20cm	Black	80854
1pcs	27cm	Red	80856



Masking Film Cutter

Package	Size	Color	Article
1pcs	7.45x4.35x0.3cm	White	80866



Water Blade

Package	Handle size	Silicone size	Article
1pcs	25cm	26.5x7.5cm	80863



Touch Up Paint Brush (PP+nylon fiber)

Package	Size Ø	Color	Article
100pcs	1.0mm	Whiet	80858
100pcs	1.5mm	Yellow	80859
100pcs	2.0mm	Blue	80857





www.Rags.lv

